

OBLON, SPIVAK, ET AL DOCKET #: 210815US6 INV: Michihiko IIDA, et al. SHEET <u>2</u> OF <u>10</u>

FIG. 2




FIG. 3A




FIG. 3B





FIG. 4

	STSNDARD DENSITY	HIGH DENSITY
USER DATA CAPACITY	650 Mbytes (120 mm) 195 Mbytes (80 mm)	1.30 Gbytes (120 mm) 0.40 Gbytes (80 mm)
PROGRAM AREA START POSITION (RADIUS)	50 mm	48 mm
CENTER HOLE DIAMETER	15 mm	15 mm
DISK THICKNESS	1.2 mm	1.2 mm
TRACK PITCH	1.6 µm	1.10 µm
SCANNING SPEED	1.2~1.4 m/s	0.90 m/s
LASER WAVELENGHT	780 nm	780 nm
MODULATION METHOD	0.45	0.55
NA	EFM	EFM
ERROR-CORRECTION METHOD	CIRC4	CIRC7
CHANNEL BIT RATE	4.3218 Mbps	4.3218 Mbps





## FIG. 6

COUNTRY CODE	2 BYTES
DISC MANUFACTURE DATE	1 BYTE
DISC MANUFACTURE NAME	2 BYTES
DISC ID	8 BYTES
WRITER MANUFACTURE NAME	1 BYTE
WRITER SERIAL NUMBER	2 BYTES
WRITER MODEL NAME	1 BYTE
RESERVE	•

FIG. 7

SYN- CHRO- NIZA- TION	SUB- COD- ING	DATA	PAR- ITY	DATA	PAR- ITY
24	<b>14</b> ►		588 BITS		<b>&gt;</b>

FIG. 8A

FRAME			SUB	CODI	NG_F	RAM	E	
98n + 1		SYN	CHR	ZINC	OITA	I PAT	TER	N
98n + 2	L	SYN	CRH	ZINC	ATION	PAT	TER	N
98n + 3	P1	Q1	R1	S1	T1	U1	V1	W1
98n + 4	P2	Q2	R2	S2	T2	U2	V2	W2
		•	•	•	•			:
		•	:	:	:		:	
98n + 97	P95	Q95	R95	S95	T95	U95	V95	W95
98n + 98	P96	Q96	R96	S96	T96	U96	V96	W96
98(n+1) + 1			•					- <del>-</del> - · · · · · · · · · · · · · · · · · ·

FIG. 8B

Q1~Q4	Q5~Q8	Q9 Q80	Q81~Q96
CONTROL	ADR	SUB-Q DATA	CRC

FIG. 9






FIG. 10





OBLON, SPIVAK, ET AL DOCKET #: 210815US6 INV: Michihiko IIDA, et al. SHEET 10 OF 10

